

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**





Fig. 1



ABSORBANCE OF COLLOID-PEPTIDE SOLUTION IN THE PRESENCE OR ABSENCE OF
B-AMYLOID FIBRILS




Fig. 3

Negative control, no β -Amyloid fibril




Fig. 4

300nM β -Amyloid fibril




Fig. 5

50pM β -Amyloid fibril




Fig. 6




Fig. 7A




Fig. 7B




Fig. 8




Fig. 9




Fig. 10

RAPID AND SENSITIVE DETECTION OF
PROTEIN AGGREGATION

Cynthia C. Bamdad et al.

Serial No.: Filed Herewith

Docket No.: M4015.70013US01





Fig. 11

Monitoring Drug Activity as a Function of Time Correlates Drug Activity to Aggregate Size






FIG. 13




FIG. 14